



SUNDIAL UTILITIES OF MILTON, INC.
Regular Meeting Agenda

October 30, 2023
5:30 PM
6738 Dixon Street
Milton, FL 32570

- 1. Call Meeting to Order**
- 2. Approval of Minutes**
 - Item # 2023-1948
 - Approval of Minutes from October 2, 2023, meeting
- 3. Financial Report**
 - Item # 2023-2051
 - Sundial Financial Report
- 4. Ordinances & Resolutions**
- 5. Other Business**
 - Item # 2023-2050
 - Piggyback Sheriff's Contract for Trailer Mounted Pumpset for Sundial
- 6. Persons to Appear**
- 7. Adjournment**

Pursuant to the provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this meeting is asked to advise the City at least 48 hours before the meeting by contacting City Hall, 6738 Dixon Street, Milton, or by calling 983-5410.

"If any person decides to appeal any decision made by the board, agency, or commission, with respect to any matter considered at such meeting or hearing, he or she will need a record of the proceedings, and that for such purpose, he or she may need to ensure that a verbatim record of the proceedings is made, which record includes the testimony and evidence upon which the appeal is to be based." FS 286.0105



Agenda Item # 2023-1948

Approval of Minutes from October 2, 2023, meeting

MEETING DATE

October 30, 2023

PREPARED BY

Melissa Short, Admin
Assistant/Permit Clerk/Assistant
City Clerk

BACKGROUND

SUMMARY

RECOMMENDATION

Approval of Minutes from October 2, 2023, meeting

ATTACHMENTS

1. Sundial Utilities of Milton, Inc. Oct. 2, 2023 Minutes



SUNDIAL UTILITIES OF MILTON, INC.
Regular Meeting Minutes

October 2, 2023
5:30 PM
6738 Dixon Street
Milton, FL 32570

1. Call Meeting to Order

The meeting was called to order at 05:25 PM.

Members Present:

Council Member, Ward IV, Seat I Jason Vance
Council Member, Ward II, Seat I Marilyn Farrow
Council Member Ward IV, Seat II Casey Powell
Council Member, Ward III, Seat I Gavin Hawthorne
Council Member Ward I, Seat II Matt Jarrett
Council Member Ward III, Seat II Jeff Snow
Council Member Ward II, Seat II Roxanne Meiss
Mayor Heather Lindsay
Council Member, Ward I, Seat I Mike Cusack

Members Absent:

Members of the Public in Attendance

Donna Long, Abraham Sculley, Shari Sebastiao, Angie Carter, Vernon Compton, Pam Mitchell, Jerry Mitchell, Johnie Hamilton, and Cassandra Sharp

Staff in Attendance

City Manager, Scott Collins
City Attorney, Alex Andrade
Interim City Clerk, Molly Turnes
Interim City Clerk, Melissa Short
Interim City Clerk, Heidi Sroka
IT Systems Analyst, Hunter Green
Public Information Officer, Bethany Anderson
Planning Director, Tim Milstead
Director of Economic Development, Ed Spears
Public Works Director, Joe Cook
Events Coordinator, Jay Conrad
Chief of Police, Tony Tindell

2. Approval of Minutes

Item # 2023-1905

Approval of Minutes from September 5, 2023 meeting

ACTION: Motion to Approve by Jeff Snow; second by Marilyn Farrow;

Motion passed - 7:0
YEAS: Marilynn Farrow, Mike Cusack, Gavin Hawthorne, Jeff Snow, Roxanne Meiss, Jason Vance, Matt Jarrett
NAYS: None
ABSTAIN: None
Councilman Casey Powell was not present for this vote.

3. Financial Report

Item # 2023-1946
Sundial Financial Report

ACTION: Motion to Approve by Matt Jarrett; second by Jason Vance;
Motion passed - 8:0
YEAS: Casey Powell, Marilynn Farrow, Mike Cusack, Gavin Hawthorne, Jeff Snow, Roxanne Meiss, Jason Vance, Matt Jarrett
NAYS: None
ABSTAIN: None

4. Ordinances & Resolutions

No ordinances & resolutions.

5. Other Business

No other business.

6. Persons to Appear

No persons to appear.

7. Adjournment

The meeting adjourned at 05:33 PM.



Sundial Financial Report

MEETING DATE

October 30, 2023

PREPARED BY

Administration Department
Heidi Sroka, Budget Coordinator

Sundial Utilities of Milton, Inc.

P. O. Box 909, Milton, FL 32572

Profit & Loss Statement

For the months as listed
and Fiscal Year to Date (FYTD)

CUSTOMER COUNT

886

Income

October

FYTD

2023

*Sewer Revenue	\$	32,478	\$	32,478
Service Connect	\$	124,050	\$	124,050
Other Revenues			\$	-
Other Sources (Transfers)	\$	-	\$	-
Total Income	\$	156,528	\$	156,528

Expenses

Professional Svcs.			\$	-
Legal Counsel			\$	-
Accounting & Auditing			\$	-
Bad Debt	\$	2	\$	2
Communication Services			\$	-
Postage and Shipping	\$	135	\$	135
Utilities-Wastewater	\$	3,298	\$	3,298
Insurance & Bonds	\$	3,916	\$	3,916
Repair & Maintenance-Wastewater	\$	3,413	\$	3,413
Repair & Maint. Lift Station	\$	6,296	\$	6,296
Repair & Maint. Damage Claim Repairs			\$	-
Advertising/Promotional			\$	-
Misc. Expenditures			\$	-
Landfill Tipping Fee	\$	2,193	\$	2,193
Pipes, Valves & Fitting	\$	217	\$	217
Laboratory Service	\$	248	\$	248
Bank Charges			\$	-
IT Expense			\$	-
Billing & Admin Fees			\$	-
Fire Assessment Fees			\$	-
*W&S Fund Labor Fees			\$	-
Office Supplies			\$	-
Operating Supplies-Wastewater	\$	347	\$	347
Lift Station Improvements			\$	-
WWTP Upgrade & Improve			\$	-
Sewer Infrastructure	\$	(85)	\$	(85)
Machinery & Equipment / Misc.	\$	5,822	\$	5,822
*Debt Costs	\$	17,500	\$	17,500
Interest Expense	\$	321	\$	321
Total Expenses	\$	43,623	\$	43,623

Profit/(Loss)

\$112,905

\$

112,905

*Debt Costs are \$17,500 (1/12 of Annual Debt Payment of \$210,000)

**Lift Station Improvements are costs for payments to BDI for engineering/design work on Sundial WWTP expansion project

***\$20,000 Misc Fee is Labor cost for fee to run Sundial billed by the City of Milton



Agenda Item # 2023-2050

Piggyback Sheriff's Contract for Trailer Mounted Pumpset for Sundial

MEETING DATE

October 30, 2023

PREPARED BY

Diane Ebentheuer, Purchasing
Agent/Risk Manager

BACKGROUND

The City purchasing policy allows Council to waive the bid process and use "Other Contracts" that have gone through the review process and have been approved by another government entity. Sundial Utilities needs this mobile trash pump.

SUMMARY

Sheriff's Contract: FSA23-EQU21.0 Equipment
Pricing: \$53,215.65
Vendor: Mersino Dewatering, LLC

RECOMMENDATION

Request Council waive the bid process and approve piggyback off Sheriff's Contract (#FSA23-EQU21.0 Equipment) for a 4" Mobile Trash Pump from Mersino Dewatering, LLC for \$53,215.65

ATTACHMENTS

1. Florida Sheriff Contract for Trash Pump for Sundial



<https://www.flsheriffs.org/>

[About](#) [Sheriffs](#) [Programs](#) [Publications](#) [Renew Membership \(<https://www.flsheriffs.org/membership/>\)](#) [Donate Today \(<https://my.flsheriffs.org/Donate>\)](#)

PURCHASING

PUMP: MOBILE PUMP

Found in: Construction Equipment (<https://www.flsheriffs.org/purchasingprogram/cat/construction-equipment>), Pumps (<https://www.flsheriffs.org/purchasingprogram/cat/pumps>), Public Works (<https://www.flsheriffs.org/purchasingprogram/cat/public-works>), Pumps (<https://www.flsheriffs.org/purchasingprogram/cat/public-works-pumps>)

Contract #: FSA23-EQU21.0: Equipment (<https://www.flsheriffs.org/purchasingprogram/contractcategory/fsa23equ210>)

Atlas Copco PAS 150 HF	VIEW (HTTPS://WWW.MYVENDORLINK.COM/EXTERNAL/AWARD?S=152500&I=309)
BBA Pumps BA150E	VIEW (HTTPS://WWW.MYVENDORLINK.COM/EXTERNAL/AWARD?S=152500&I=310)
ECO PUMP Trailer Mounted Trash Pump	VIEW (HTTPS://WWW.MYVENDORLINK.COM/EXTERNAL/AWARD?S=152500&I=311)
Global Pump 6GSTAP	VIEW (HTTPS://WWW.MYVENDORLINK.COM/EXTERNAL/AWARD?S=152500&I=312)
Godwin CD 150S	VIEW (HTTPS://WWW.MYVENDORLINK.COM/EXTERNAL/AWARD?S=152500&I=313)
Holland Pumps PT6TPC-P1104D44T	VIEW (HTTPS://WWW.MYVENDORLINK.COM/EXTERNAL/AWARD?S=152500&I=314)
MWI CT006	VIEW (HTTPS://WWW.MYVENDORLINK.COM/EXTERNAL/AWARD?S=152500&I=315)
Pioneer PP66S12L71	VIEW (HTTPS://WWW.MYVENDORLINK.COM/EXTERNAL/AWARD?S=152500&I=316)
Thompson Pump 6JSC	VIEW (HTTPS://WWW.MYVENDORLINK.COM/EXTERNAL/AWARD?S=152500&I=317)
Tradewinds TPK66	VIEW (HTTPS://WWW.MYVENDORLINK.COM/EXTERNAL/AWARD?S=152500&I=318)
PRIMAX-SYKES CP	VIEW (HTTPS://WWW.MYVENDORLINK.COM/EXTERNAL/AWARD?S=152500&I=321)

[FIND A VENDOR \(HTTP://WWW.FLSHERIFFS.ORG/VENDORDIRECTORY/\)](http://www.flsheriffs.org/vendordirectory/)

[GET HELP \(MAILTO:CPP@FLSHERIFFS.ORG\)](mailto:cpp@flsheriffs.org)

THE FSA STORE

SHOP NOW FOR HIGH-QUALITY
APPAREL & ACCESSORIES

SHOP NOW



https://www.companypromostore.com/stores/fsamembers/?utm_source=website&utm_medium=footer

Bid Award

Contract: FSA23-EQU21.0, Equipment

Group: Pump: Mobile Pump

Item: 312, Global Pump, 6GSTAP, 6GSTAP

Zone	Rank	Vendor	Price	Build File	Options File
Western	Primary	Mersino Dewatering	\$49,750.00	Build	Options
Northern	Primary	Mersino Dewatering	\$49,750.00	Build	Options
Central	Primary	Mersino Dewatering	\$49,750.00	Build	Options
Southern	Primary	Mersino Dewatering	\$49,750.00	Build	Options

PUMP: 6 Inch Mobile Pump Package

CONTRACT: FSA23-EQU21.0

Offeror Name: Mersino Dewatering, LLC DBA Global Pump

Code or Part No.	Option Description	Offered Price
4GSTAPIKT4S1OP	DOWNGRADE PUMP TO 4GST SKID MOUNTED 25HP KUBOTA-FT4 - DEDUCT	\$ (15,429.40)
4GSTAPIKT4T1OP	DOWNGRADE PUMP TO 4GST TRAILER MOUNTED 25HP KUBOTA-FT4 - DEDUCT	\$ (11,560.20)
4GSTAPIKT4T1SG	DOWNGRADE PUMP TO 4GST TRAILER MOUNTED SOUNDGUARD 25HP KUBOTA-FT4 - DEDUCT	\$ (557.40)
6GSTAPIKT4S1OP	DOWNGRADE PUMP TO 6GST SKID MOUNTED 74HP KUBOTA-FT4 - DEDUCT	\$ (3,597.40)
6GSTAPIKT4T1SG	UPGRADE PUMP TO 6GST TRAILER MOUNTED SOUNDGUARD 74HP KUBOTA-FT4 - ADD	\$ 14,252.60
8GSTAPICT4S1OP	UPGRADE PUMP TO 8GST SKID MOUNTED 142HP CAT-FT4 - ADD	\$ 27,199.80
8GSTAPICT4T1OP	UPGRADE PUMP TO 8GST TRAILER MOUNTED 142HP CAT-FT4 - ADD	\$ 33,999.80
8GSTAPICT4T1SG	UPGRADE PUMP TO 8GST TRAILER MOUNTED SOUNDGUARD 142HP CAT-FT4 - ADD	\$ 46,647.80
12GSTAPICT4S1OP	UPGRADE PUMP TO 12GST SKID MOUNTED 174HP CAT-FT4 - ADD	\$ 51,469.00
12GSTAPICT4T1OP	UPGRADE PUMP TO 12GST TRAILER MOUNTED 174HP CAT-FT4 - ADD	\$ 63,661.40
12GSTAPICT4S1SG	UPGRADE PUMP TO 12GST SKID MOUNTED SOUNDGUARD 174HP CAT-FT4 - ADD	\$ 66,422.20
18GSTDPICT4S1OP	UPGRADE PUMP TO 18GST SKID MOUNTED 250HP CAT-FT4 - ADD	\$ 102,346.60
24GSTDPICT4S1OP	UPGRADE PUMP TO 24GST SKID MOUNTED 415HP CAT-FT4 - ADD	\$ 183,423.00
4GHTAPIKT4S1OP	DOWNGRADE PUMP TO 4GHT SKID MOUNTED 65HP KUBOTA-FT4 - ADD	\$ (7,337.40)
4GHTAPIKT4T1OP	DOWNGRADE PUMP TO 4GHT TRAILER MOUNTED 65HP KUBOTA-FT4 - ADD	\$ (2,965.00)
4GHTAPIKT4T1SG	UPGRADE PUMP TO 4GHT TRAILER MOUNTED SOUNDGUARD 65HP KUBOTA-FT4 - ADD	\$ 7,568.20
6GHTAPICT4S1OP	UPGRADE PUMP TO 6GHT SKID MOUNTED 142HP CAT-FT4 - ADD	\$ 26,853.00
6GHTAPICT4T1OP	UPGRADE PUMP TO 6GHT TRAILER MOUNTED 142HP CAT-FT4 - ADD	\$ 31,035.00
6GHTAPICT4T1SG	UPGRADE PUMP TO 6GHT TRAILER MOUNTED SOUNDGUARD 142HP CAT-FT4 - ADD	\$ 41,581.80
8GHTAPICT4S1OP	UPGRADE PUMP TO 8GHT SKID MOUNTED 174HP CAT-FT4 - ADD	\$ 40,085.80
8GHTAPICT4T1OP	UPGRADE PUMP TO 8GHT TRAILER MOUNTED 174HP CAT-FT4 - ADD	\$ 46,178.60
8GHTAPICT4T1SG	UPGRADE PUMP TO 8GHT TRAILER MOUNTED SOUNDGUARD 174HP CAT-FT4 - ADD	\$ 61,002.60
12GHTaPICT4S1OP	UPGRADE PUMP TO 12GHT SKID MOUNTED 250HP CAT-FT4 - ADD	\$ 90,235.80
12GHTaPICT4S1SG	UPGRADE PUMP TO 12GHT SKID MOUNTED SOUNDGUARD 250HP CAT-FT4 - ADD	\$ 123,685.00
18GHTDPICT4S1OP	UPGRADE PUMP TO 18GHT SKID MOUNTED 415HP CAT-FT4 - ADD	\$ 164,695.80
24GHTDPICT4S1OP	UPGRADE PUMP TO 24GHT SKID MOUNTED 600HP CAT-FT4 - ADD	\$ 299,907.00
4GDDT1OP	DOWNGRADE PUMP TO 4" DOUBLE DIAPHRAGM PUMP - DEDUCT	\$ (28,811.80)
4GSHAPSCT4S1OP	UPGRADE PUMP TO 4GSH SKID MOUNTED 142HP CAT-FT4 - ADD	\$ 26,683.00
4GSHAPSCT4T1OP	UPGRADE PUMP TO 4GSH TRAILER MOUNTED 142HP CAT-FT4 - ADD	\$ 30,899.00
4GSHAPSCT4T1SG	UPGRADE PUMP TO 4GSH TRAILER MOUNTED SOUNDGUARD 142HP CAT-FT4 - ADD	\$ 43,594.60
6GSHAPSCT4S1OP	UPGRADE PUMP TO 6GSH SKID MOUNTED OPEN 174HP CAT-FT4 - ADD	\$ 52,434.60
6GSHAPSCT4T1OP	UPGRADE PUMP TO 6GSH TRAILER MOUNTED 174HP CAT-FT4 - ADD	\$ 56,739.00
6GSHAPSCT4T1SG	UPGRADE PUMP TO 6GSH TRAILER MOUNTED SOUNDGUARD 174HP CAT-FT4 - ADD	\$ 65,497.40
8GSHAPSCT4S1OP	UPGRADE PUMP TO 8GSH SKID MOUNTED UNIT 300HP CAT-FT4 - ADD	\$ 67,095.40
8GSHAPSCT4T1OP	UPGRADE PUMP TO 8GSH TRAILER MOUNTED 300HP CAT-FT4 - ADD	\$ 77,479.00
8GSHAPSCT4T1SG	UPGRADE PUMP TO 8GSH TRAILER MOUNTED SOUNDGUARD UNIT 300HP CAT-FT4 - ADD	\$ 96,519.00
12GSHAPSCT4S1OP	UPGRADE PUMP TO 12GSH SKID MOUNTED 415HP CAT-FT4 - ADD	\$ 120,223.80
12GSHAPSCT4T1OP	UPGRADE PUMP TO 12GSH TRAILER MOUNTED UNIT 415HP CAT-FT4 - ADD	\$ 129,499.00
6GHHAPSCT4S1OP	UPGRADE PUMP TO 6GHH SKID MOUNTED 300HP CAT-FT4 - ADD	\$ 83,401.80
8GHHAPSCT4S1OP	UPGRADE PUMP TO 8GHH SKID MOUNTED 415HP CAT-FT4 - ADD	\$ 124,093.00
12GHHAPSCT4S1OP	UPGRADE PUMP TO 12GHH SKID MOUNTED 600HP CAT-FT4 - ADD	\$ 226,065.80
12GHHAPSAT4S1OP	UPGRADE PUMP TO 12GHH SKID MOUNTED 800HP CAT-FT4 - ADD	\$ 323,795.40
6GSRWPIKT4S1OP	DOWNGRADE PUMP TO 6GSRWP SKID MOUNTED 25HP KUBOTA-FT4 - DEDUCT	\$ (10,343.00)
6GSRWPIKT4T1OP	DOWNGRADE PUMP TO 6GSRWP TRAILER MOUNTED 25HP KUBOTA-FT4 - DEDUCT	\$ (7,833.80)
6GSRWPIKT4S1SG	DOWNGRADE PUMP TO 6GSRWP SKID MOUNTED SOUNDGUARD 25HP KUBOTA-FT4 - ADD	\$ (489.80)
8GSRWPIKT4S1OP	UPGRADE PUMP TO 8GSRWP SKID MOUNTED 49HP KUBOTA-FT4 - ADD	\$ 2,311.80
8GSRWPIKT4T1OP	UPGRADE PUMP TO 8GSRWP TRAILER MOUNTED 49HP KUBOTA-FT4 - ADD	\$ 5,290.20
8GSRWPIKT4S1SG	UPGRADE PUMP TO 8GSRWP SKID MOUNTED SOUNDGUARD 49HP KUBOTA-FT4 - ADD	\$ 13,144.20
12GSRWPIKT4S1OP	UPGRADE PUMP TO 12GSRWP SKID MOUNTED 74HP KUBOTA-FT4 - ADD	\$ 9,363.40
12GSRWPIKT4S1SG	UPGRADE PUMP TO 12GSRWP SKID MOUNTED SOUNDGUARD 74HP KUBOTA-FT4 - ADD	\$ 20,977.80
6GSCWPIKT4S1OP	DOWNGRADE PUMP TO 6GSCWP SKID MOUNTED KUBOTA-FT 4 - DEDUCT	\$ (5,821.00)
6GSCWPIKT4T1OP	DOWNGRADE PUMP TO 6GSCWP TRAILER MOUNTED 49HP KUBOTA-FT4 - DEDUCT	\$ (3,318.60)
6GSCWPIKT4S1SG	UPGRADE PUMP TO 6GSCWP SKID MOUNTED SOUNDGUARD 49HP KUBOTA-FT4 - ADD	\$ 4,249.80
8GSCWPIKT4S1OP	UPGRADE PUMP TO 8GSCWP SKID MOUNTED 49HP KUBOTA-FT4 - ADD	\$ 7,071.80
8GSCWPIKT4T1OP	UPGRADE PUMP TO 8GSCWP TRAILER MOUNTED 49HP KUBOTA-FT4 - ADD	\$ 10,227.00
8GSCWPIKT4S1SG	UPGRADE PUMP TO 8GSCWP SKID MOUNTED 49HP KUBOTA-FT4 - ADD	\$ 18,788.20
6GSPWPIHT4S1SG	DOWNGRADE PUMP TO 6GSPWP SKID MOUNTED SOUNDGUARD 14HP HATZ-FT4 - DEDUCT	\$ (17,041.00)

506450000000	OPTIONAL - ENGINE POWER DISCONNECT - ADD	\$ 330.00
506451000000	OPTIONAL - GROUNDING REEL - ADD	\$ 431.25
506452000000	OPTIONAL - FIRE EXTINGUISHER WITH MOUNTING BRACKET - ADD	\$ 333.75
506453000000	OPTIONAL - DOCUMENT BOX ASSEMBLY - ADD	\$ 172.50
506454000000	OPTIONAL - FUEL DISTRIBUTION 3-WAY VALVE - ADD	\$ 356.25
506455000000	OPTIONAL - FLOOD LIGHT MAGNETIC MOUNT ASSEMBLY - ADD	\$ 273.75
506456000000	OPTIONAL - ELECTRIC FUEL GAUGE ASSEMBLY - ADD	\$ 258.75
350245000000	OPTIONAL - TOOL BOX ASSEMBLY - ADD	\$ 727.50
506458000000	OPTIONAL - WHEEL CHOCK WITH MOUNTING BRACKET - ADD	\$ 487.50
511515000000	OPTIONAL - MESSENGER CONTROL BOX - ELECTRIC ENGINE - ADD	\$ 4,350.00
511515000000	OPTIONAL - MESSENGER CONTROL BOX - MECHANICAL ENGINE - ADD	\$ 4,350.00
BCIT01	OPTIONAL - MONTHLY MESSENGER WEBSITE SUBSCRIPTION FEE - ADD	\$ 50.00
346298000000	OPTIONAL - PUMP PRESSURE TRANSDUCER - ADD	\$ 630.00
506006000000	OPTIONAL - PUMP VACUUM TRANSDUCER - ADD	\$ 1,646.25
506005000005	OPTIONAL - 0-5PSI SUBMERSIBLE TRANSDUCER, 50' CORD - ADD	\$ 1,585.75
506005000015	OPTIONAL - 0-15PSI SUBMERSIBLE TRANSDUCER, 50' CORD - ADD	\$ 1,585.75
601397000050	OPTIONAL - FLOAT ASSY - START/STOP - TWO 50' FLOATS - ADD	\$ 315.00
602500000000	OPTIONAL - VACUUM TEST PAD FOR 4" - 8" PUMPS - ADD	\$ 382.50
602501000000	OPTIONAL - VACUUM TEST PAD FOR 12" - 14" PUMPS - ADD	\$ 483.75
602502000000	OPTIONAL - VACUUM TEST PAD FOR 18" - 24" PUMPS - ADD	\$ 772.50
601327000000	OPTIONAL - 4" X 10' QD BLACK HD SUCTION HOSE - ADD	\$ 243.75
601329000000	OPTIONAL - 4" X 20' QD BLACK HD SUCTION HOSE - ADD	\$ 360.00
601341000000	OPTIONAL - 6" X 10' QD BLACK HD SUCTION HOSE - ADD	\$ 543.75
601343000000	OPTIONAL - 6" X 20' QD BLACK HD SUCTION HOSE - ADD	\$ 746.25
601355000000	OPTIONAL - 8" X 10' QD BLACK HD SUCTION HOSE - ADD	\$ 1,057.50
601357000000	OPTIONAL - 8" X 20' QD BLACK HD SUCTION HOSE - ADD	\$ 1,372.50
601375000000	OPTIONAL - 12" X 10' QD BLACK HD SUCTION HOSE - ADD	\$ 2,227.50
601377000000	OPTIONAL - 12" X 20' QD BLACK HD SUCTION HOSE - ADD	\$ 3,033.75
601498000000	OPTIONAL - 4" X 10' CAMLOCK BLACK HD SUCTION HOSE - ADD	\$ 202.50
601500000000	OPTIONAL - 4" X 20' CAMLOCK BLACK HD SUCTION HOSE - ADD	\$ 352.50
601502000000	OPTIONAL - 6" X 10' CAMLOCK BLACK HD SUCTION HOSE - ADD	\$ 435.00
601504000000	OPTIONAL - 6" X 20' CAMLOCK BLACK HD SUCTION HOSE - ADD	\$ 701.25
601506000000	OPTIONAL - 8" X 10' CAMLOCK BLACK HD SUCTION HOSE - ADD	\$ 1,065.00
601508000000	OPTIONAL - 8" X 20' CAMLOCK BLACK HD SUCTION HOSE - ADD	\$ 1,406.25
601638000000	OPTIONAL - 3" X 50' QD RED MD 2 PLY LAYFLAT HOSE - ADD	\$ 183.75
601669000000	OPTIONAL - 4" X 50' QD RED MD 2 PLY LAYFLAT HOSE - ADD	\$ 341.25
601700000000	OPTIONAL - 6" X 50' QD RED MD 2 PLY LAYFLAT HOSE - ADD	\$ 543.75
601731000000	OPTIONAL - 8" X 50' QD RED MD 2 PLY LAYFLAT HOSE - ADD	\$ 765.00
602008000000	OPTIONAL - 3" X 50' QD BLACK HD 4 PLY LAYFLAT HOSE - ADD	\$ 360.00
602039000000	OPTIONAL - 4" X 50' QD BLACK HD 4 PLY LAYFLAT HOSE - ADD	\$ 543.75
602070000000	OPTIONAL - 6" X 50' QD BLACK HD 4 PLY LAYFLAT HOSE - ADD	\$ 783.75
602101000000	OPTIONAL - 8" X 50' QD BLACK HD 4 PLY LAYFLAT HOSE - ADD	\$ 1,271.25
602133000000	OPTIONAL - 12" X 50' QD BLACK HD 4 PLY LAYFLAT HOSE - ADD	\$ 2,880.00
601669000000	OPTIONAL - 4" X 50' CAMLOCK RED MD 2 PLY LAYFLAT HOSE - ADD	\$ 296.25
601700000000	OPTIONAL - 6" X 50' CAMLOCK RED MD 2 PLY LAYFLAT HOSE - ADD	\$ 506.25
601731000000	OPTIONAL - 8" X 50' CAMLOCK RED MD 2 PLY LAYFLAT HOSE - ADD	\$ 802.50
601793000000	OPTIONAL - 4" X 50' CAMLOCK BLACK HD 4 PLY LAYFLAT HOSE - ADD	\$ 453.75
601824000000	OPTIONAL - 6" X 50' CAMLOCK BLACK HD 4 PLY LAYFLAT HOSE - ADD	\$ 708.75
601855000000	OPTIONAL - 8" X 50' CAMLOCK BLACK HD 4 PLY LAYFLAT HOSE - ADD	\$ 1,361.25
325198000000	OPTIONAL - 4" QD 90 DEG ELBOW - ADD	\$ 102.00
325200000000	OPTIONAL - 6" QD 90 DEG ELBOW - ADD	\$ 136.00
325201000000	OPTIONAL - 8" QD 90 DEG ELBOW - ADD	\$ 258.40
325203000000	OPTIONAL - 12" QD 90 DEG ELBOW - ADD	\$ 693.60
325220000000	OPTIONAL - 4" QD 45 DEG ELBOW - ADD	\$ 114.24
325222000000	OPTIONAL - 6" QD 45 DEG ELBOW - ADD	\$ 176.80
325223000000	OPTIONAL - 8" QD 45 DEG ELBOW - ADD	\$ 242.08
325225000000	OPTIONAL - 12" QD 45 DEG ELBOW - ADD	\$ 693.60
325909000000	OPTIONAL - 4" MQD STRAINER BASKET - ADD	\$ 123.76
325910000000	OPTIONAL - 6" MQD STRAINER BASKET - ADD	\$ 199.92
325911000000	OPTIONAL - 8" MQD STRAINER BASKET - ADD	\$ 325.04
325917000000	OPTIONAL - 12" MQD STRAINER BASKET - ADD	\$ 590.24

CONDITIONS OF SALE

Mersino Dewatering, Inc. and its branches DBA Global Pump (the "Seller") and the purchasing party on the preceding page (the "Buyer") agree that these Conditions of Sale govern the parties' transactions and these Conditions of Sale are incorporated by reference into the Sales Agreement and any Quotes as if fully stated therein. Acceptance of any goods or equipment by Buyer shall constitute acceptance of these terms.

CONTROLLING PROVISIONS: The following conditions of sale shall constitute the sole conditions with respect to any purchase order or sale of Seller's products. No waiver, alteration or modification of these terms and conditions whether on Buyer's purchase order or otherwise shall be valid unless the waiver, alteration or modification is specifically accepted in writing by Seller. The laws of Michigan shall govern the validity, interpretation and enforcement of any contract of which these provisions are part, without giving effect to any rules governing the conflict of laws. Seller will comply with all laws applicable to Seller. Compliance with OSHA or similar federal, state, or local laws during any operation or use of the product(s) is the sole responsibility of the Buyer. Assignment may be made only with written consent of both parties.

ACCEPTANCE: The Buyer accepts these Conditions without change or addition by placing an order for the products or by accepting the products in whole or in part.

CANCELLATION: Orders are not subject to cancellation or termination except by written agreement of Seller following the Buyer's acceptance of cancellation charges which, in Seller's sole discretion, compensate against loss.

SHIPMENT: Anticipated shipment dates provided by Seller are based upon the best information available at the time and are estimates provided in good faith. Seller makes every effort to ship products within the time frame estimated but cannot assume responsibility for delays beyond its reasonable control when exercising due diligence. In particular, delay due to acts of God, acts of the Buyer (or his agent or representative), acts of any civil, military or legal authority, priorities, fire, strike or other circumstance or event in the nature of force majeure, or delay due to transportation are considered beyond the control of Seller. No liability will be assumed and the Buyer will not expect Seller to assume liability for a penalty or damages (liquidated or otherwise) contained in any contract which the Buyer may have with any third party. Timely performance is contingent upon the Buyer supplying to Seller, when needed, all required technical information, drawing approval, and commercial documentation. Any products for which shipment is delayed by the Buyer, or by causes that affect the Buyer's ability to receive the products, may be placed in storage by Seller for the Buyer's account and risk.

PRICE: Quoted prices are valid for acceptance, by firm order, for a period of 30 days from the date of quotation. Order prices remain firm through the date of shipment providing that shipment is not delayed by the Buyer. However, if the Buyer delays shipment, prices will be those in effect at time of shipment plus storage and handling. Prices do not include sales, use, other taxes or duties unless specifically stated in writing by Seller. When sales, use, other taxes or duties are itemized separately they are subject to adjustment for decrease or increase. Unless otherwise specified, prices are FOB Seller in Davison, Michigan and are expressed in US dollars.

TRANSPORTATION: Unless otherwise stated in writing by Seller, products are FOB Seller in Davison, Michigan and transportation (freight) charges are not included in the price. Transportation is the responsibility of the Buyer. Where the Buyer specifies a method of transportation or carrier, Seller will attempt to comply. However, the right is reserved to substitute, without notice, an alternative method of transportation or carrier where that specified is not available, not practical, or not in the interest of the Buyer or Seller. When FOB destination or freight allowed to destination has been stated in writing by Seller, "destination" means common carrier delivery point within continental North America, excluding Alaska, nearest the destination.

PACKING: Products shall be packed or crated by Seller in accordance with Seller's standard commercial practice unless otherwise agreed in writing.

EXPORT: Products will be export packed or crated by Seller in accordance with Seller's standard commercial practice for below deck stowage unless otherwise agreed. Ocean shipment is the responsibility of the Buyer. However, if Seller agrees to make or arrange for ocean shipment, Seller shall act as agent for the Buyer and reserve the right to procure full insurance coverage, including war risk insurance, at the expense of the Buyer. All expenses incurred in this connection will be payable upon demand to Seller. If Seller as agent applies for or secures manufacturing, financing, exporting or other licenses required by any federal or state government, or any department thereof, Seller shall make such applications or secure such licenses solely as agent for the Buyer, and assumes no responsibility.

PAYMENT: Except by written agreement of Seller, Buyer will make payment in the currency stated on the invoice to Seller net 15 days from shipment by Seller. A payment term of "Net 15 days" is a privilege extended to the Buyer at the sole discretion of Seller. Seller reserves the right not to extend terms to the Buyer and is obligated only to so notify the Buyer prior to shipment. Delinquent accounts will bear a service charge of 1.5% per month, or part thereof, on the unpaid balance and will, in addition, bear any and all costs incurred by Seller in collecting amounts past due. If Buyer delays the shipment, the date of readiness for shipment shall be deemed to be the date of shipment for payment purposes.

WARRANTY: On the date of shipment to the Buyer, Seller warrants title to the products and, except as noted with respect to items not of Seller's manufacturer, that the products are of the kind and quality described, free of defects in workmanship and material that will impair the products function. This warranty is expressly in lieu of all other warranties, including but not limited to implied warranties of merchantability or fitness for a specific purpose which are disclaimed, and constitutes the only warranty of Seller with respect to the products. Any products found by Seller to show such defect within one (1) year of the date of shipment will be replaced or, at Seller's option, repaired free of charge, FOB Seller in Davison, Michigan upon receipt of the defective products at Seller in Davison, transportation (freight) charges prepaid. Products are not to be returned without Seller's prior written authorization and shipping and tagging instructions. The expense of removal and reinstallation of the products, in whole or in part, is expressly the responsibility of the Buyer not Seller. Engines, motors, mechanical seals, flexible couplings and other components not of Seller's manufacture and whether supplied fitted in or on the products or supplied loose are warranted only to the extent that they are expressly warranted by their manufacturer. The Buyer will rely solely upon that manufacturer's warranty, which will be assigned, insofar as possible, to the Buyer. No liability will be assumed and the Buyer will not expect Seller to assume liability for damage, delay, or work done by the Buyer or others resulting directly or indirectly from a defect. This states Buyer's exclusive remedy against Seller and its suppliers relating to the products, whether in contract or in tort or under any other legal theory, and whether arising out of warranties, representations, instructions, installations or defects from any cause. Seller and its suppliers shall have no obligation as to any products which have been improperly stored or handled, or which have not been operated or maintained according to instructions in Seller or supplier furnished manuals.

LIMITATION OF LIABILITY: Neither Seller nor its suppliers shall be liable, whether in contract or in tort or under any other legal theory, for loss of use, revenue or profit; or for cost of capital, substitute use or performance, or for incidental, indirect, special or consequential damages, or for any other loss or cost of similar type, or for claims by Buyer for damages of Buyer's customers. Likewise, Seller shall not, under any circumstances, be liable for fault, negligence or wrongful acts of Buyer or Buyer's employees or Buyer's other contractors or suppliers. In no event shall Seller be liable in excess of the sale price of the products.

TITLE AND INSURANCE: Title to the products and risk of loss or damage shall pass to Buyer at the FOB point, except that a security interest in the products and proceeds and any replacement shall remain in Seller, regardless of mode of attachment to realty or other property, until the full price has been paid in cash. Buyer agrees to do all acts necessary to perfect and maintain said security interest, and to protect Seller's interest by adequately insuring the products against loss or damage from any external cause with Seller named as insured or coinsured.

HYDRAULIC PERFORMANCE: The determination of performance has been based on factory tests under controlled conditions with calibrated and tested equipment in accordance with the Standards of the Hydraulic Institute. Certified tests on pumps ordered will be conducted only if specifically requested prior to order, quoted and subsequently ordered.

INSPECTION AND EXPEDITING: Seller will extend reasonable cooperation to the Buyer's inspection and/or expediting personnel but restricts access to its facilities except as otherwise stated in writing by Seller and in any case to agreed upon reasonable times with a minimum of 72 hours notice prior to each visit. Buyer shall not inspect or expedite Seller's suppliers without prior written approval from Seller.

DRAWINGS, DATA, DOCUMENTATION, TECHNICAL INFORMATION: Drawings, data, documentation and technical information provided may indicate general detail only and may not be specific unless certified by Seller. The copyright in all drawings, data, and other documentation provided by Seller remains vested in Seller and may not be copied or used in any connection without the prior written approval of Seller. Drawings, data, documentation and technical information regarding pump design and/or application, whether or not written, is regarded as the proprietary and confidential intellectual property of Seller. The Buyer expressly agrees to maintain confidentiality and to be accountable for the use of any such information. All concepts or processes supplied by Seller or otherwise resulting or developed from the supply by Seller remain the exclusive properties of Seller.

DESIGN: The products will be in accordance with Seller's current practice. The right is reserved to make changes, without notice, providing overall dimensions and type of construction are not changed as to conflict with the order specifications.

I understand and agree to the above terms and conditions as well as the acceptance of the equipment and pricing set forth on the preceding page. I also agree that the equipment I received reflects the proper quantities and is in good working order.

Date _____

Customer Signature _____

900 N Squirrel Rd
Suite 210
Auburn Hills, MI 48326
United States

City of Milton
5438 Alabama Street
Milton FL 32570
United States

Quotation # S03181

Quotation Date:
10/20/2023

Expiration:
11/19/2023

Salesperson:
Jeff Bartlett

Description	Quantity	Unit Price	Taxes	Amount
[4GSTAPIKT4T15G] 4" GLOBAL STANDARD TRASH AUTOMATIC PRIMING PUMPSET TO 28' BY UTILIZATION OF VENTURI / COMPRESSOR COMBINATION SYSTEM, CAST IRON PUMP END, POWERED BY A TIER 4, V1505T4 - 24.8 HP KUBOTA ENGINE, TRAILER MOUNTED / SOUNDGUARD UNIT	1.00 Units	49,192.60000		\$ 49,192.60
[601397000050] FLOAT ASSEMBLY, START/STOP, INCLUDES TWO 50' N/O FLOATS	1.00 Units	315.00000		\$ 315.00
[130077050001] WEAR RING, CUTTER, IMPELLER, 4GT, GRADE AR400F STEEL	1.00 Units	358.00000		\$ 358.00
[130078050001] WEAR RING, CUTTER, SUCTION COVER, 4GT, GRADE AR400F	1.00 Units	358.00000		\$ 358.00
[506455000000] FLOOD LIGHT MAGNETIC MOUNT ASSEMBLY / EXTERIOR LIGHT KIT	2.00 Units	273.75000		\$ 547.50
[506455000000] FLOOD LIGHT MAGNETIC MOUNT ASSEMBLY / INTERIOR LIGHT KIT	1.00 Units	273.75000		\$ 273.75
[601327000000] SUCTION HOSE, 4" X 10' LONG, BLACK RUBBER, WITH MALE AND FEMALE GLOBAL QD FITTINGS	8.00 Units	243.75000		\$ 1,950.00

Remit payments to: Mersino Dewatering, LLC P.O. Box 675406 Detroit, MI 48267-5406

900 N Squirrel Rd
Suite 210
Auburn Hills, MI 48326
United States

[325166000000] GLOBAL FLANGE FITTING, 4" FEMALE QD X FLANGE, GALVANIZED	1.00 Units	91.20000	\$ 91.20
[325154000000] GLOBAL FLANGE FITTING, 4" MALE QD X FLANGE, GALVANIZED	1.00 Units	129.60000	\$ 129.60

DELIVERY FROM DAVISON MICHIGAN - \$2,000

LEAD TIME 4 - 6 WEEKS

Total	\$ 53,215.65
-------	--------------

Terms & Conditions: <https://mersino.odoo.com/terms>

Remit payments to: Mersino Dewatering, LLC P.O. Box 675406 Detroit, MI 48267-5406

6GST GLOBAL STANDARD TRASH



Global Pump® Standard Trash pumps are specifically designed to effectively handle a wide range of liquids from water to sewage and sludge that can contain solids and other material.

Global Pump Standard Trash pumps provide a dependable, highly efficient solution. The model 6GST is capable of achieving maximum flows of 3,000 gpm (681 m³/h) and maximum total head of 202' (61.6 m) while handling solids up to 3" (76.2 mm) in diameter.

The standard 6GST is powered by a water-cooled, 4-cylinder diesel engine. Alternative drives are available including natural gas as well as electric motors.

FEATURES

Global Pump's rugged, heavy duty pumps are engineered specifically for portable application

Non-return valve uses only a single moving part to allow full flow with minimal restriction

Standard engine control panel provides preset emergency shutdown protection and allows the addition of automatic level control

Fully guarded coupling

Pump casings are hydrostatically tested to 50 psig (345 kPa) above the peak casing design pressure

Highway trailer with integral fuel cell/chassis, lights, fenders, tie downs, lifting bail, front and rear jacks. Trailer brakes can be offered as required

OPTIONS

Available with a variety of priming systems, including Global's Auto Prime® automatic priming system (compressor-fed venturi priming) or a diaphragm priming system

Mechanical seal with glycol (biodegradable optional) quench allows the pump to start and run dry

Global Pump's environmental box separates and silences air exhaust and returns liquid to the pump suction.



Fuel cubes for extended run times and/or remote location as required

Sound attenuated enclosure options

Skid-mounted formats with tie downs, lifting bail, and fork pockets

Hose racks, accessory containers and other custom features available as required


Wide range of suction and discharge fittings including Global Pump's own "QD" Quick Disconnect fittings and accessories

**SPECIFICATIONS**

Connections	6" (150 mm) ANSI Flanges
Max Pump Speed	2,200 rpm
Max Flow	3,000 gpm (681 m ³ /h)
Max Head	202' (61.6 m)
Max Static Priming Lift	28' (8.5 m)
Temperature Limit	160° F (70° C)
Solids Handling Capability	3" (76.2 mm)
Max Casing Pressure	125 psig (862 kPa)
Fuel Cell	109 gallons (413 liters)
Dry Weight	4,500 lbs

PUMP MATERIAL

Casing	Cast Iron (CD4MCu is an option)
Impeller	Cast Iron (CD4MCu is an option)
Bearing Housing	Cast Iron
Bearing Lubrication	Grease
Shaft/Shaft Sleeve	Steel/FNC Treated Steel
Seal	Silicon Carbide on Silicon Carbide
Chassis/Fuel Cell	Steel
Non-Return Valve	Nitrile Fitted Cast Iron


GLOBAL PUMP

10162 East Coldwater Road, Davison, MI 48423

Tel: 810.653.4828 Fax: 810.658.0632

1 866.360.PUMP

4GST GLOBAL STANDARD TRASH



Global Pump® Standard Trash pumps are specifically designed to effectively handle a wide range of liquids from water to sewage and sludge that can contain solids and other material.

Global Pump Standard Trash pumps provide a dependable, highly efficient solution. The model 4GST is capable of achieving maximum flows of 1,250 gpm (284 m³/h) and maximum total head of 116' (35.4 m) while handling solids up to 3" (76.2 mm) in diameter.

The standard 4GST is powered by a water-cooled, 4-cylinder diesel engine. Alternative drives are available, including other diesel engines or electric motor options.

FEATURES

Global Pump's rugged, heavy duty pumps are engineered specifically for portable application

Non-return valve uses only a single moving part to allow full flow with minimal restriction

Standard engine control panel provides preset emergency shutdown protection and allows the addition of automatic level control

Fully guarded coupling

Pump casings are hydrostatically tested to 50 psig (345 kPa) above the peak casing design pressure

Highway trailer with integral fuel cell/chassis, lights, fenders, tie downs, lifting bail, front and rear jacks. Trailer brakes can be offered as required

OPTIONS

Available with a variety of priming systems, including Global's Auto Prime® automatic priming system (compressor-fed venturi priming) or a diaphragm priming system

Mechanical seal with glycol (biodegradable optional) quench allows the pump to start and run dry

Global Pump's environmental box separates and silences air exhaust and returns liquid to the pump suction.


Fuel cubes for extended run times and/or remote location as required

Sound attenuated enclosure options

Skid-mounted formats with tie downs, lifting bail, and fork pockets

Hose racks, accessory containers and other custom features available as required



Wide range of suction and discharge fittings including Global Pump's own "QD" Quick Disconnect fittings and accessories

**SPECIFICATIONS**

Connections	4" (100 mm) ANSI Flanges
Max Pump Speed	2,200 rpm
Max Flow	1,250 gpm (284 m ³ /h)
Max Head	116' (35.4 m)
Max Static Priming Lift	28' (8.5 m)
Temperature Limit	160° F (70° C)
Solids Handling Capability	3" (76.2 mm)
Max Casing Pressure	125 psig (862 kPa)
Fuel Cell	83 gallons (314 liters)
Dry Weight	3,100 lbs

PUMP MATERIAL

Casing	Cast Iron (CD4MCu is an option)
Impeller	Cast Iron (CD4MCu is an option)
Bearing Housing	Cast Iron
Bearing Lubrication	Grease
Shaft	Stainless Steel
Seal	Silicon Carbide on Silicon Carbide
Chassis/Fuel Cell	Steel
Non-Return Valve	Nitrile Fitted Cast Iron



GLOBAL PUMP

GLOBAL PUMP

10162 East Coldwater Road, Davison, MI 48423

Tel: 810.653.4828 Fax: 810.658.0632

1.866.360.PUMP